

  
LOBASAND

































## Premium Quality Sanding Products and Pads

**The finishing touches to a perfect job**

Sanding and floor preparation has a considerable influence on the final result of any wood floor finish. The LOBASAND product range offers you a wide scope of different top-quality sanding products and pads. The high performance materials and carrier technologies used guarantee effective working with all commonly available sanding machines and deliver the best results.



### 1. Abrasives

Product	Dimensions	Shape	*	Coarse sanding				Medium sanding			Fine sanding			Final sanding			Intermediate sanding			
Band   Belt	200 x 750 mm   8"						P36	P40		P60										
	200 x 750 mm   8"			P16	P24		P36	P40		P60	P80		P100	P120						
	250 x 750 mm   10"				P24			P40		P60	P80		P100	P120						
	200 x 750 mm   8"			P16	P24		P36	P40		P60	P80		P100	P120						
	250 x 750 mm   10"							P40		P60	P80									
Klett   Velcro Disc	ø 150 mm   6"					P24	P36		P40	P60		P80	P100	P120						
	ø 178 mm   7"				P16	P24	P36		P40	P60		P80	P100	P120						
	ø 150 mm   6"					P24	P36		P40	P60		P80	P100	P120						
	ø 178 mm   7"					P24	P36		P40	P60		P80	P100	P120						
	ø 200 mm   8"									P60		P80	P100	P120						
	ø 200 mm   8"								P40	P60		P80	P100							
DoubleDisc	ø 410 mm			P16	P24	P36		P40		P60	P80		P100			P120				
Gitter   Net	ø 406 mm											P80			P100	P120		P120	P150	P180
LochPad (PerforatedPad)	ø 410 mm											P80			P100	P120	P150	P120	P150	P180
Klett   Velcro stripe	81x133 mm																			P240
Dreieck   Triangle	ø 80 mm							P40		P60		P80	P100							

\* Key:

Ceramic Aluminum oxide Zircon corundum Silicone carbide

### 2. Pads

Product	Color	Dimensions	Area of use
HandPadSet	beige	85 x 135 x 10 mm	Equalizing
Pad for pad holder	beige	250 x 120 x 10 mm	Equalizing
SpecialPad	beige	ø 407 x 10 mm	Equalizing
ScrubberPad	black	ø 406 mm	Thorough cleaning
Pad for pad holder	green	250 x 120 x 10 mm	Basic cleaning / intermediate sanding
SpecialPad	green	ø 408 x 10 mm	Basic cleaning / intermediate sanding
SuperPad	green	ø 408 x 20 mm	Basic cleaning / intermediate sanding
Polishing fleece		ø 406 mm	Intermediate sanding
NormalPad	white	ø 406 x 10 mm	Polishing
SuperPad	white	ø 409 x 20 mm	Polishing
DustPad		ø 406 mm	Dust reduction

## Why **contractors** are enthusiastic about LOBASAND:

- High application safety through recommendations in LOBA's Technical Information
- Long service life, high sanding performance
- Very good price/performance ratio
- User-friendly packaging design with clear product identifier
- Specification of the grain size on the back of the product

## Why **dealers** are convinced of LOBASAND:

- Easy handling due to new packaging design with clear product identifier
- Tested premium quality from LOBA
- LOBASAND print on the back of the product guarantees exclusivity
- Very good price/performance ratio
- High application safety

## Special feature

LOBASAND sanding products and pads impress with their long service life and high sanding performance. Their clever label design optimizes handling in everyday life.

## Range of use


LOBASAND offers you the right products for every situation. Whether parquet installation or refurbishment, coloring, oil or finish: with LOBASAND you are on the safe side.

## Application

LOBASAND sanding products and pads are easy and safe to use. In the Technical Information of our finishes and oils you will find precise recommendations for the application of the suitable LOBASAND product. In this way you achieve optimum results in floor finishing.

## New label

For perfect handling, the box label provides all information on the sanding products contained at a glance: product names, dimensions and the size of the packaging unit are clearly visible. A color code identifies the material used and the grain size. In addition, pictograms provide information about the shape and other specific characteristics.



LOBA is always at your side and ensures your success with both advice and action. Our experienced application specialists will advise you personally with your projects and our competent service team is quickly on hand if you need practical support directly on site. So you can be on the safe side right from the start and know who you can rely on at all times.

Do you have any questions? Please do not hesitate to contact us:

**Please observe the detailed technical information, processing instructions and assembly recommendations.**  
**[www.loba.de](http://www.loba.de)**





LOBA GmbH & Co. KG  
Leonberger Str. 56-62  
71254 Ditzingen  
Germany  
Tel.: +49 7156 357-0  
Fax: +49 7156 357-211  
E-Mail: [service@loba.de](mailto:service@loba.de)  
[www.loba.de](http://www.loba.de)