

LOBASAND O

Premium Quality Sanding Products and Pads

The finishing touches to a perfect job

Sanding and floor preparation has a considerable influence on the final result of any wood floor finish. The LOBASAND product range offers you a wide scope of different top-quality sanding products and pads. The high performance materials and carrier technologies used guarantee effective working with all commonly available sanding machines and deliver the best results.





1. Abrasives

Product	Dimensions	Shape	*	Coarse sanding		Medium	sandi	ng	Fine sand	Final sanding			Intermediate sanding						
	200 x 750 mm	\bigcirc				P36	P40	P50	P60	P80	P100	P120							
	200 x 750 mm	\bigcirc		P16	P24	P36	P40	P50	P60	P80	P100	P120							
Band Belt	250 x 750 mm	\bigcirc			P24		P40		P60	P80	P100	P120							
	200 x 750 mm	\bigcirc			P24	P36	P40	P50	P60	P80	P100	P120							
	250 x 750 mm	\bigcirc				P36	P40	P50	P60	P80	P100	P120							

	ø 150 mm					P4	0		P60	P80	P100	P120				P180	
	ø 150 mm	0		P24	P36	P4	0 P	P50	P60	P80	P100	P120					
	ø 178 mm	0		P24	P36	P4	0 P	P50	P60	P80	P100	P120					
	ø 200 mm	0		P24	P36	P4	0 P	P50	P60	P80	P100	P120	P150	P180			
	ø 150 mm	(*)		P24	P36	P4	0		P60	P80	P100	P120					
	ø 150 mm	(*)	P16	P24	P36	P4	0		P60	P80	P100	P120					
Klett Velcro Disc	ø 178 mm	0	P16	P24	P36	P4	0		P60	P80	P100	P120					
	ø 200 mm	0				P4	0		P60	P80	P100	P120					
	ø 125 mm	0				P4	0		P60	P80	P100	P120					
	ø 150 mm					P4	0		P60	P80	P100	P120				P180	
	ø 150 mm	0		P24	P36	P4	0		P60	P80	P100	P120					
	ø 178 mm	0		P24	P36	P4	0 P	P50	P60	P80	P100	P120					
	ø 200 mm	0							P60	P80	P100	P120					

DoubleDisc	ø 406 mm	*	P16	P24	P36	P40		P60	P80		P100		P120					
Gitter Net	ø 406 mm							P60		P80		P100	P120		P120	P150	P180	
LochPad	ø 410 mm	0								P80		P100	P120	P150	P120	P150	P180	
Klett Velcro Stripe	81 x 133 mm																	P240
		•				P40		P60		P80	P100							

* Key:

Ceramic

Aluminum oxide Zircon corundum

Silicone carbide

2. Pads

Product	Color	Dimensions	Area of use
HandPadSet	beige	85 x 135 x 10 mm	Equalizing
Pad for pad holder	beige	250 x 120 x 10 mm	Equalizing
SpecialPad	beige	ø 406 x 10 mm	Equalizing
ScrubberPad	black	ø 406 mm	Thorough cleaning
Pad for pad holder	green	250 x 120 x 10 mm	Basic cleaning / intermediate sanding
SpecialPad	green	ø 406 x 10 mm	Basic cleaning / intermediate sanding
SuperPad	green	ø 406 x 20 mm	Basic cleaning / intermediate sanding
Polishing fleece		ø 406 mm	Intermediate sanding
			·
NormalPad	white	ø 406 x 10 mm	Polishing
SuperPad	white	ø 406 x 10 mm	Polishing
			·
DustPad		ø 410 mm	Dust reduction

Why **contractors** are enthusiastic about LOBASAND:

- High application safety through recommendations in LOBA's Technical Information
- Long service life, high sanding performance
- Very good price/performance ratio
- User-friendly packaging design with clear product identifier
- Specification of the grain size on the back of the product

Why **dealers** are convinced of LOBASAND:

- Easy handling due to new packaging design with clear product identifier
- Tested premium quality from LOBA
- LOBASAND print on the back of the product guarantees exclusivity
- Very good price/performance ratio
- High application safety

Special feature

LOBASAND sanding products and pads impress with their long service life and high sanding performance. Their clever label design optimizes handling in everyday life.

Range of use

LOBASAND offers you the right products for every situation. Whether parquet installation or refurbishment, coloring, oil or finish: with LOBASAND you are on the safe side.

Application

LOBASAND sanding products and pads are easy and safe to use. In the Technical Information of our finishes and oils you will find precise recommendations for the application of the suitable LOBASAND product. In this way you achieve optimum results in floor finishing.

New label


For perfect handling, the box label provides all information on the sanding products contained at a glance: product names, dimensions and the size of the packaging unit are clearly visible. A color code identifies the material used and the grain size. In addition, pictograms provide information about the shape and other specific characteristics.



LOBA is always at your side and ensures your success with both advice and action. Our experienced application specialists will advise you personally with your projects and our competent service team is quickly on hand if you need practical support directly on site. So you can be on the safe side right from the start and know who you can rely on at all times.

Please observe the detailed technical information, processing instructions and assembly recommendations. www.loba.de

Do you have any questions? Please do not hesitate to contact us:



Article no. 84640-D/ 01|2022 Subject to alterations © registered trademark at least in Germany